



# UNITED STATES PATENT AND TRADEMARK OFFICE

HD

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/042,485	01/08/2002	Seikei Lee	22738.00300	6078
7590 Doyle B. Johnson CROSBY, HEAFEY, ROACH & MAY Suite 2000 Two Embarcadero Center San Francisco, CA 94111			EXAMINER VIG, NARESH	
			ART UNIT 3629	PAPER NUMBER
			MAIL DATE 06/01/2007	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

Application No.

10/042,485

Applicant(s)

LEE ET AL.

Examiner

Naresh Vig

Art Unit

3629

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☐ Responsive to communication(s) filed on 15 March 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-9 and 16-37 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-9 and 16-37 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

This is in reference to response received 15 March 2007. Claims 1 – 9 and 16 – 37 are pending for examination.

#### ***Response to Arguments***

In response to applicant's argument that the present invention may join two separate conference room and devices in conference rooms are under the control of the equipment management unit.

However, applicant is arguing a limitation not positively claimed by the applicant.

In response to applicant's argument that in applicant's invention, participants can quickly visually determine what equipment is available on the system for use with the teleconference by displaying, as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit." This claim element specifically states that the display unit displays, as icons, the "equipment managed by the equipment management unit." As discussed above, the equipment managed by the equipment management unit includes the input and output equipment. This limitation is not present in the cited references, and, present invention provides availability of equipment.

However, applicant's claimed invention is different than applicant's argument. Applicant does not positively claim that at the time of conference, display of icons are dynamic based upon the authentication at the time of conference. For example, a user can add static icons on the display, wherein they will always appear on the display of the user. In dynamic display, icons are displayed on display and they are actively authenticated to display the current status of the devices. Also, applicant has not claimed monitoring of the devices during conference. Therefore, applicant is making an argument not positively claimed by the applicant. An authentication of a device once does not necessarily mean that the device is available and functioning during the conferencing session. In addition, applicant is only displaying the icons. There is no action further taken by applicant's invention based upon the current operational status like availability or non-availability of the devices. Merely displaying the current status of the devices to inform user is supported by the cited references (i.e. network monitoring).

In response to applicant's argument that cited reference DecisionRoom is an online "e-room" system where participants can upload and comment on shared documents.

However, as currently claimed by the applicant, there is no claimed limitation that the presentation from a presenter is presented to other conference attendees during the conference. As currently claimed by the applicant, delivery of content is store and forward which is taught by DecisionRoom reference.

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1 – 9 and 16 – 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over archived web pages of [www.decisionroom.com](http://www.decisionroom.com) hereinafter known as DecisionRoom in view of Krishnaswamy et al. US Patent 5,999,525 and further in view of an article Managing Workgroups with Castle Rock SNMPc hereinafter known as SNMPc.

Regarding claim 1, DecisionRoom teaches the idea a network conferencing system (meeting room on the web) having an output electronic equipment for presenting the contents of a presentation (user devices), a plurality of attendant electronic equipment operated by users attending a conference (user devices) [DecisionRoom, page 3, 10], and a conference management server connected with the output electronic equipment and the attendant electronic equipment so as to transmit and receive information to and from the output electronic equipment and the attendant electronic equipment via a communication network. DecisionRoom teaches:

attendant electronic equipment to have an information input/output unit (user devices have display and input devices to be able to communicate with the remote

server over the web);

a presentation unit for presenting the contents of a presentation by using the output electronic equipment (The application gives users instant access to work in progress. Users can post, view and comment on text, graphic, animations)

[DecisionRoom, page 26];

a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation unit of the other attendant electronic equipment using the output electronic equipment (The application gives users instant access to work in progress. Users can post, view and comment on text, graphic, animations) [DecisionRoom, page 26];

an authentication unit for carrying out authentication of attendance of each electronic equipment connected to the communication network, at a conference (DecisionRoom requires registration);

DecisionRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit

for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit

[DecisionRoom, page 26],

wherein one of the authority to be a presenter terminal, the authority to be a chairman terminal and the authority to be an attendant terminal is acquired by each attendant electronic equipment [DecisionRoom].

Regarding claim 2, DecisionRoom teaches a conference management server connected with an output electronic equipment for presenting the contents of a presentation and a plurality of attendant electronic equipment via a communication network [DecisionRoom, page 3, 10, 26]. As responded to earlier in response to claim 1, DecisionRoom teaches attendant electronic equipment to have an information input/output unit (user devices have display and input devices to be able to communicate with the remote server over the web), a presentation unit for presenting the contents of a presentation by using the output electronic equipment equipment (The application gives users instant access to work in progress. Users can post, view and comment on text, graphic, animations) [DecisionRoom, page 26], a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation unit equipment (The application gives users instant access to work in progress. Users can post, view and comment on text, graphic, animations) [DecisionRoom, page 26], an authentication unit for carrying out authentication of attendance of the other attendant electronic equipment at a conference (DecisionRoom requires registration),

DecisonRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the



time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit

[DecisionRoom, page 26],

wherein processing to give one of the authority to be a presenter terminal, the

authority to be a chairman terminal, and the authority to be an attendant terminal is carried out on the basis of conference attendance requests from the attendant electronic equipment [DecisionRoom].

Regarding claim 3, as responded to earlier, DecisionRoom teaches an attendant electronic equipment operated by a user attending a conference for transmitting and/or receiving information via a communication network to and/or from a conference management server which is connected with an output electronic equipment for presenting the contents of a presentation and which transmits and/or receives information to and/or from the output electronic equipment via the communication network, the attendant electronic equipment comprising [DecisionRoom, page 3, 10, 26]:

DecisionRoom teaches attendant electronic equipment to include an information input/output unit for inputting and outputting information from and to the other attendant electronic equipment and the output electronic equipment via the conference management server unit (user devices have display and input devices to be able to communicate with the remote server over the web);

a presentation unit for presenting the contents of a presentation by using the output electronic equipment (The application gives users instant access to work in progress. Users can post, view and comment on text, graphic, animations)  
[DecisionRoom, page 26];

a presentation contents browsing unit for browsing the contents of the

Art Unit: 3629

presentation presented by the presentation unit of the other attendant electronic equipment using the output electronic equipment (The application gives users instant access to work in progress. Users can post, view and comment on text, graphic, animations) [DecisionRoom, page 26];

an authentication unit for carrying out authentication of attendance of each electronic equipment connected to the communication network, at a conference [DecisionRoom requires registration];

DecisionRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit  
[DecisionRoom, page 26],

wherein one of the authority to be a presenter terminal, the authority to be a chairman terminal, and the authority to be an attendant terminal is acquired by each attendant electronic equipment.

Regarding claim 4, as responded to earlier, DecisionRoom teaches A network conferencing system having an output electronic equipment for presenting the contents of a presentation, a plurality of attendant electronic equipment operated by users attending a conference, and a conference management server connected with the output electronic equipment and the attendant electronic equipment so as to transmit and receive information to and from the output electronic equipment and the

Art Unit: 3629

attendant electronic equipment, via a communication network [DecisionRoom, page 3, 10, 26],

DecisionRoom teaches attendant electronic equipment to include an information input/output unit for inputting and outputting information from and to the other attendant electronic equipment and the output electronic equipment via the conference management server unit (user devices have display and input devices to be able to communicate with the remote server over the web),

a presentation unit for presenting the contents of a presentation by using the output electronic equipment (The application gives users instant access to work in progress. Users can post, view and comment on text, graphic, animations) [DecisionRoom, page 26],

a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation unit of the other attendant (The application gives users instant access to work in progress. Users can post, view and comment on text, graphic, animations) [DecisionRoom, page 26], an authentication unit for carrying out authentication of attendance of the other electronic equipment at a conference (DecisionRoom requires registration),

DecisonRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit

[DecisionRoom, page 26];

wherein when the authority to be a chairman terminal is provided, the authentication unit obtains conference attendance requests including personal data related to the other attendant electronic equipment from the conference management server and prepares attendance permission information or attendance non-permission information for the other attendant electronic equipment in accordance with the operation by the user based on the personal data (DecisionRoom requires user to register and log-in to use the system)

Regarding claim 5, DecisionRoom in view of Krishnaswamy and SNMPC teaches capability wherein the authentication unit prepares attendance permission information which enables selection of icon displays of the other attendant electronic equipment permitted to attend the conference, and attendance non-permission information which makes it impossible to select icon displays of the other attendant electronic equipment not permitted to attend the conference (DecisionRoom teaches users to be registered in a group, SNMPC teaches idea of representing user devices to be monitored as an icon on a console).

Regarding claim 6, DecisionRoom in view of Krishnaswamy and SNMPC teaches capability wherein conference attendance requests including the personal information to request for attendance at the conference from the other attendant electronic equipment are inputted to the information input/output unit via the conference management server, and

the authentication unit prepares attendance permission information for changing the display mode of the icon displays of the other electronic equipment when the attendance is permitted in accordance with the operation by the user, in response to the conference attendance requests inputted to the information input/output unit (Feature on SNMPc wherein icon changes color to display the status of the device, for example, SNMP base product like HP OpenView displays icon as green when the device is in communication, and, red when the device is not in communication).

Regarding claim 7, DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein the display unit includes icon displays of the other attendant electronic equipment existing in the communication network, in a first screen area, and includes icon displays of the other attendant electronic equipment existing outside the communication network, in a second screen area (applicant is claiming granularity of icons to be monitored as their claimed invention).

Regarding claim 8, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein the display unit displays location attribute information indicating the presence of each of the electronic equipment in the communication network, in the first screen area, and displays location attribute information indicating the presence of each of the electronic equipment outside the communication network, in the second screen area (applicant



is claiming granularity of icons to be monitored as their claimed invention).

Regarding claim 9, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein conference leaving requests to request leaving the conference from the other attendant electronic equipment are input to the information input/output unit via the conference management server (applicant is claiming logging out of a conference as their claimed invention), and the display unit changes the display mode of icon displays related to the other attendant electronic equipment which output the conference leaving requests, in response to the conference leaving requests input to the information input/output unit (SNMPc teaches this limitation).

Regarding claim 16, as responded to earlier, DecisionRoom a conference management server connected with an output electronic equipment for presenting the contents of a presentation and a plurality of attendant electronic equipment via a communication network, each of the attendant electronic equipment comprising an information input/output unit for inputting and outputting information from and to the other attendant electronic equipment and the output electronic equipment via the communication network, a presentation unit for presenting the contents of the presentation by using the output electronic equipment, a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation unit of the other attendant electronic equipment using the output

Art Unit: 3629

electronic equipment, an authentication unit for carrying out authentication of attendance of the other attendant electronic equipment at a conference,

DecisionRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the

electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit [DecisionRoom, page 26],

conference management server to include means for outputting a conference attendance request including personal data related to the attendant electronic equipment from the attendant electronic equipment to the other attendant electronic equipment, and inputting the result of attendance authentication in accordance with the conference attendance request (DecisionRoom teaches creating a conference group); and

attendance management means for preparing an attendance information file for managing the plurality of attendant electronic equipment attending a conference by using the personal data and the result of attendance authentication obtained by the input/output means, and preparing attendant equipment display information for displaying, as an icon, the personal data of each attendant electronic equipment managed as the attendance information file in accordance with the result of attendance authentication [DecisionRoom teaches authentication, SNMPc teaches monitoring user devices].

Regarding claim 17 – 20, as responded to earlier, (DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein the attendance management means updates the contents of the attendance information file on the basis of attendance permission information or attendance non-permission information from the attendant electronic equipment having the authority as a chairman terminal having the information input/output unit, the authentication unit, the equipment management unit, the display unit and the proceedings control unit.

means outputs the prepared attendant equipment display information to the attendant electronic equipment connected with the communication network [SNMPc].

means to prepare attendant equipment display information which enables selection of icon displays of the other attendant electronic equipment permitted to attend the conference on the basis of the attendance permission information and which makes it impossible to select icon displays of the other attendant electronic equipment not permitted to attend the conference on the basis of the attendance non-permission information [SNMPc].

means to supply conference attendance requests including the personal data to request for attendance at the conference from the other attendant electronic equipment, and prepares attendant equipment display information for changing the display mode of icon displays on the basis of the attendance permission information from the chairman terminal in accordance with the conference attendance requests.

Regarding claim 21, as responded to earlier, DecisionRoom in view of

Krishnaswamy and SNMPc teaches capability wherein the attendance management means prepares attendant equipment display information including icon displays of the other attendant electronic equipment existing in the communication network, in a first screen area, and including icon displays of the other attendant electronic equipment existing outside the communication network, in a second screen area [SNMPc].

Regarding claim 22, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein the attendance management means prepares attendant equipment display information for displaying location attribute information indicating the presence of each of the electronic equipment in the communication network, in the first screen area, and displaying location attribute information indicating the presence of each of the electronic equipment outside the communication network, in the second screen area.

Regarding claim 23, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein the attendance management means prepares attendant equipment display information for changing the display mode of icon displays related to the other attendant electronic equipment which output conference leaving requests in response to input of the conference leaving requests to request for leaving the conference from the other attendant electronic equipment.

Regarding claim 24, as responded to earlier, DecisionRoom teaches an attendance authentication method for a conference management server connected with an output electronic equipment for presenting the contents of a presentation and a plurality of attendant electronic equipment via a communication network.

DecisionRoom teaches attendant electronic equipment to include an information input/output unit for inputting and outputting information from and to the other attendant electronic equipment and the output electronic equipment via the communication network, a presentation unit for presenting the contents of the presentation by using the output electronic equipment, a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation unit of the other attendant electronic equipment using the output electronic equipment, an authentication unit for carrying out authentication of attendance of the other attendant electronic equipment at a conference,

DecisonRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

Art Unit: 3629

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit [DecisionRoom, page 26],

DecisionRoom in view of Krishnaswamy and SNMPc teaches concept of:

inputting a conference attendance request including personal data related to the attendant electronic equipment from the attendant electronic equipment

Art Unit: 3629

(DecisionRoom teaches creating of groups);

outputting the conference attendance request to the other attendant electronic equipment;

inputting the result of attendance authentication in accordance with the conference attendance request;

preparing an attendance information file for managing the plurality of attendant electronic equipment attending a conference by using the personal data and the result of attendance authentication; and

preparing attendant equipment display information for displaying, as an icon, the personal data of each attendant electronic equipment managed as the attendance information file in accordance with the result of attendance authentication [SNMPc].

Regarding claim 25, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein attendance permission information or attendance non-permission information from the attendant electronic equipment having the authority as a chairman terminal having the information input/output unit, the authentication unit, the equipment management unit, the display unit and the proceedings control unit is inputted, and

the contents of the attendance information file are updated.

Regarding claim 26, as responded to earlier, DecisionRoom in view of



Krishnaswamy and SNMPc teaches capability wherein the prepared attendant equipment display information is outputted to the attendant electronic equipment connected with the communication network.

Regarding claim 27, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein attendant equipment display information which enables selection of icon displays of the other attendant electronic equipment permitted to attend the conference on the basis of the attendance permission information from the chairman terminal and which makes it impossible to select icon displays of the other attendant electronic equipment not permitted to attend the conference on the basis of the attendance non-permission information is prepared.

Regarding claim 28, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches capability wherein conference attendance requests including the personal data to request for attendance at the conference from the other attendant electronic equipment are inputted, and

attendant equipment display information for changing the display mode of icon displays is prepared on the basis of the attendance permission information from the chairman terminal in accordance with the conference attendance requests.

Regarding claim 29, as responded to earlier, DecisionRoom in view of

Art Unit: 3629

Krishnaswamy and SNMPC teaches capability wherein attendant equipment display information including icon displays of the other attendant electronic equipment existing within the communication network, in a first screen area, and including icon displays of the other attendant electronic equipment existing outside the communication network, in a second screen area, is prepared.

Regarding claim 30, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPC teaches capability wherein attendant equipment display information for displaying location attribute information indicating the presence within the communication network, in the first screen area, and displaying location attribute information indicating the presence outside the communication network, in the second screen area, is prepared.

Regarding claim 31, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPC teaches capability wherein conference leaving requests to request leaving the conference from the other attendant electronic equipment are input, and

attendant equipment display information for changing the display mode of icon displays related to the other attendant electronic equipment which output conference leaving requests is prepared.

Regarding claim 32, as responded to earlier, DecisionRoom teaches an

attendant electronic equipment, operated by a user attending a conference for transmitting and/or receiving information via a communication network to and/or from a conference management server which is connected with an output electronic equipment for presenting the contents of a presentation and which transmits and/or receives information to and/or from the output electronic equipment via the communication network. DecisionRoom teaches attendant electronic equipment to include an information input/output unit for inputting and outputting information from and to the other attendant electronic equipment and the output electronic equipment via the conference management server, a presentation unit for presenting the contents of the presentation by using the output electronic equipment, a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation unit of the other attendant electronic equipment using the output electronic equipment, an authentication unit for carrying out authentication of attendance of the other electronic equipment at a conference.

DecisionRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit

[DecisionRoom, page 26],

concept wherein when the authority to be a chairman terminal is provided, the authentication unit obtains conference attendance requests including personal data related (applicant is claiming data as their invention) to the other

Art Unit: 3629

attendant electronic equipment from the conference management server and prepares attendance permission information or attendance non-permission information for the other attendant electronic equipment in accordance with the operation by the user based on the personal data.

Regarding claim 33, as responded to earlier, DecisionRoom teaches a network conferencing system having an output electronic equipment for presenting the contents of a presentation, a plurality of attendant electronic equipment operated by users attending a conference, and a conference management server connected with the output electronic equipment and the attendant electronic equipment so as to transmit and receive information to and from the output electronic equipment and the attendant electronic equipment via a communication network wherein in the network conferencing system, each of the attendant electronic equipment comprises an information input/output unit for inputting and outputting information from and to the other attendant electronic equipment and the output electronic equipment via the communication network, a presentation unit for presenting the contents of the presentation by using the output electronic equipment, a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation of the other attendant electronic equipment using the output electronic equipment, an authentication unit for carrying out authentication of attendance of the other electronic equipment at a conference,

DecisionRoom does not explicitly teach an equipment management unit for

Art Unit: 3629

managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication

Art Unit: 3629

unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit

[DecisionRoom, page 26],

concept wherein when the presentation unit transfers the contents of the presentation to the output electronic equipment or the attendant electronic equipment via the conference management server, the contents of the presentation and supplementary contents related to the contents of the presentation are displayed by the display unit.

Regarding claim 34, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches concept wherein the presentation unit transfers only the data related to the contents of the presentation to the output electronic equipment or the attendant electronic equipment.

Regarding claim 35, as responded to earlier, DecisionRoom teaches a presentation method for a network conferencing system having an output electronic equipment for presenting the contents of a presentation, a plurality of attendant electronic equipment operated by users attending a conference, and a conference management server connected with the output electronic equipment and the attendant electronic equipment so as to transmit and receive information to and from the output electronic equipment and the attendant electronic equipment-via a

Art Unit: 3629

communication network.

DecisionRoom teaches attendant electronic equipment to include an information input/output unit for inputting and outputting information from and to the other attendant electronic equipment and the output electronic equipment via the communication network, a presentation unit for presenting the contents of the presentation by using the output electronic equipment, a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation unit of the other attendant electronic equipment using the output electronic equipment, an authentication unit for carrying out authentication of attendance of the other electronic equipment at a conference,

DecisonRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle



Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit [DecisionRoom, page 26],

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit [DecisionRoom, page 26],

concept wherein when transferring the contents of the presentation to the output electronic equipment or the attendant electronic equipment via the conference management server by the presentation unit, the contents of the presentation and supplementary contents related to the contents of the presentation are displayed by

the display unit.

Regarding claim 36, as responded to earlier, DecisionRoom in view of Krishnaswamy and SNMPc teaches concept wherein only the data related to the contents of the presentation is transferred to the output electronic equipment or the attendant electronic equipment.

Regarding claim 37, as responded to earlier, DecisionRoom teaches an attendant electronic equipment operated by a user attending a conference for transmitting and/or receiving information via a communication network to and/or from a conference management server which is connected with an output electronic equipment for presenting the contents of a presentation and which transmits and/or receives information to and/or from the output electronic equipment via the communication network.

DecisionRoom teaches attendant electronic equipment to include an information input/output unit for inputting and outputting information from and to the other attendant electronic equipment and the output electronic equipment via the communication network, a presentation unit for presenting the contents of the presentation by using the output electronic equipment, a presentation contents browsing unit for browsing the contents of the presentation presented by the presentation unit of the other attendant electronic equipment using the output electronic equipment, an authentication unit for carrying out authentication of attendance of the other electronic

Art Unit: 3629

equipment at a conference,

DecisionRoom does not explicitly teach an equipment management unit for managing the state of each electronic equipment connected to the communication network. However, Krishnaswamy teaches the concept of allowing users to manage more aspects of a network than previously possible and control network activities [Krishnaswamy, summary]

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom as taught by Krishnaswamy to provide features of network management to users.

DecisionRoom in view of Krishnaswamy does not explicitly teach a display unit for displaying, as icons, the other attendant electronic equipment with their attendance authenticated by the authentication unit and the electronic equipment managed by the equipment management unit. However, SNMPc a product by Castle Rock which was commercially available at the time of invention teaches the idea of a user device having capability of monitoring and managing network wherein remote devices are displayed on the user device represented by an icon.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify DecisionRoom in view of Krishnaswamy teaches as taught by SNMPc to provide pictorial view of the network status.

DecisionRoom in view of Krishnaswamy and SNMPc teaches:

capability to display as icons, the other attendant electronic equipment and the electronic equipment managed by the equipment management unit, wherein the other

Art Unit: 3629

attendant electronic equipment icons are displayed to visually identify whether each respective attendant electronic equipment has been authenticated by the authentication unit

a proceedings control unit for controlling preparation of the proceedings by using the contents of the presentation presented by the presentation unit

[DecisionRoom, page 26],

DecisionRoom in view of Krishnaswamy and SNMPc teaches concept wherein when the presentation unit transfers the contents of the presentation to the output electronic equipment or the attendant electronic equipment via the conference management server, the contents of the presentation and supplementary contents related to the contents of the presentation are displayed by the display unit.

***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Applicant is required under 37 CFR '1.111 (c) to consider the references fully when responding to this office action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Naresh Vig whose telephone number is (571) 272-6810. The examiner can normally be reached on Mon-Thu 7:00 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Weiss can be reached on (571) 272-6812. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3629

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

A handwritten signature in black ink, appearing to read "Naresh Vig". The signature is stylized with a large, sweeping initial "N" and a long, horizontal stroke extending to the right.

Naresh Vig  
Examiner  
Art Unit 3629

May 26, 2007